

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2024
9.0	04.04.2024	10679528-00016	Date of first issue: 25.08.2010

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name	:	MIDDELFAST SKRUESIKRING, 25 ML.
Product code	:	0893243025
Product Registration Number	:	4173815

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	:	Adhesives Professional use product
Recommended restrictions on use	:	Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Würth Danmark A/S Montagevej 6, Industri N2 6000 Kolding
Telephone	:	+45 7932 3232
Telefax	:	+45 7556 9710
E-mail address of person responsible for the SDS	:	prodsafe@wuerth.com

#### 1.4 Emergency telephone number

+49 (0)6132 84463  
Giftlinjen: +45 82121212

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.
--	--

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2024
9.0	04.04.2024	10679528-00016	Date of first issue: 25.08.2010

Hazard statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2-(2-Methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate	25852-47-5	Aquatic Chronic 3; H412	>= 50 - < 70
2,6-Di-tert-butyl-p-cresol	128-37-0 204-881-4 01-2119480433-40	Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0,25 - < 1
$\alpha,\alpha$ -dimethylbenzyl hydroperoxide	80-15-9 201-254-7 617-002-00-8 01-2119475796-19	Org. Perox. E; H242 Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 2; H310 Skin Corr. 1; H314 Eye Dam. 1; H318 STOT SE 3; H335 STOT RE 2; H373 (Lungs) Aquatic Chronic 2; H411	>= 0,25 - < 1

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version 9.0      Revision Date: 04.04.2024      SDS Number: 10679528-00016      Date of last issue: 07.03.2024  
Date of first issue: 25.08.2010

		<div>specific concentration limit Skin Corr. 1B; H314 ≥ 10 % Skin Irrit. 2; H315 3 - &lt; 10 % Eye Dam. 1; H318 3 - &lt; 10 % Eye Irrit. 2; H319 1 - &lt; 3 % STOT SE 3; H335 ≥ 1 %</div> <div>Acute toxicity estimate  Acute oral toxicity: 382 mg/kg Acute inhalation toxicity (vapour): 3 mg/l Acute dermal toxicity: 133,6 mg/kg</div>	
2'-Phenylacetohydrazide	114-83-0 204-055-3	<div>Acute Tox. 3; H301 Acute Tox. 3; H311 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Acute 1; H400</div> <div>M-Factor (Acute aquatic toxicity): 1</div> <div>Acute toxicity estimate  Acute oral toxicity: 270 mg/kg Acute dermal toxicity: 300,03 mg/kg</div>	≥ 0,1 - < 0,25

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Protection of first-aiders : No special precautions are necessary for first aid responders.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2024
9.0	04.04.2024	10679528-00016	Date of first issue: 25.08.2010

In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment	:	Treat symptomatically and supportively.
-----------	---	---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
------------------------------	---	--

Unsuitable extinguishing media	:	None known.
--------------------------------	---	-------------

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
---------------------------------------	---	--

Hazardous combustion products	:	Carbon oxides Fluorine compounds Nitrogen oxides (NO <sub>x</sub> ) Sulphur oxides
-------------------------------	---	---

### 5.3 Advice for firefighters

Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.
---	---	---

Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
--------------------------------	---	---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2024
9.0	04.04.2024	10679528-00016	Date of first issue: 25.08.2010

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

#### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version 9.0      Revision Date: 04.04.2024      SDS Number: 10679528-00016      Date of last issue: 07.03.2024  
Date of first issue: 25.08.2010

nated clothing before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:  
Strong oxidizing agents  
Gases

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2,6-Di-tert-butyl-p-cresol	128-37-0	GV	10 mg/m3	DK OEL
		S	20 mg/m3	DK OEL

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
1,2-Benzisothiazol-3(2H)-one 1,1-dioxide	Workers	Inhalation	Long-term systemic effects	4,19 mg/m3
	Workers	Skin contact	Long-term systemic effects	2,381 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,035 mg/m3
	Consumers	Skin contact	Long-term systemic effects	1,190 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	0,595 mg/kg bw/day
α,α-dimethylbenzyl hydroperoxide	Workers	Inhalation	Long-term systemic effects	6 mg/m3
2,6-Di-tert-butyl-p-cresol	Workers	Inhalation	Long-term systemic effects	3,5 mg/m3
	Workers	Dermal	Long-term systemic effects	0,5 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,86 mg/m3
	Consumers	Dermal	Long-term systemic effects	0,25 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic	0,25 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version 9.0      Revision Date: 04.04.2024      SDS Number: 10679528-00016      Date of last issue: 07.03.2024  
Date of first issue: 25.08.2010

			effects	bw/day
--	--	--	---------	--------

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1,2-Benzisothiazol-3(2H)-one 1,1-dioxide	Fresh water	0,104 mg/l
	Marine water	0,0104 mg/l
	Intermittent use/release	1,044 mg/l
	Fresh water sediment	104,403 mg/kg
	Marine sediment	104,403 mg/kg
	Soil	29,024 mg/kg
	Sewage treatment plant	12,304 mg/l
α,α-dimethylbenzyl hydroperoxide	Fresh water	0,0031 mg/l
	Marine water	0,00031 mg/l
	Freshwater - intermittent	0,031 mg/l
	Sewage treatment plant	0,35 mg/l
	Fresh water sediment	0,023 mg/kg dry weight (d.w.)
	Marine sediment	0,0023 mg/kg dry weight (d.w.)
	Soil	0,0029 mg/kg dry weight (d.w.)
2,6-Di-tert-butyl-p-cresol	Fresh water	0,199 µg/l
	Intermittent use/release	0,02 µg/l
	Marine water	0,02 µg/l
	Sewage treatment plant	0,17 mg/l
	Fresh water sediment	0,0996 mg/kg dry weight (d.w.)
	Marine sediment	0,00996 mg/kg dry weight (d.w.)
	Soil	0,04769 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	8,33 mg/kg food

## 8.2 Exposure controls

### Engineering measures

Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

### Personal protective equipment

Eye/face protection : Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.

Wear the following personal protective equipment:

Safety glasses

Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

Equipment should conform to DS EN 166

Hand protection

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2024
9.0	04.04.2024	10679528-00016	Date of first issue: 25.08.2010

Material	:	Nitrile rubber
Break through time	:	480 min
Glove thickness	:	> 0,35 mm
Directive	:	Equipment should conform to DS EN 374

Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
---------	---	---

Skin and body protection	:	Skin should be washed after contact.
--------------------------	---	--------------------------------------

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Equipment should conform to DS EN 143
------------------------	---	---

Filter type	:	Particulates type (P)
-------------	---	-----------------------

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
----------------	---	--------

Colour	:	blue
--------	---	------

Odour	:	characteristic
-------	---	----------------

Odour Threshold	:	No data available
-----------------	---	-------------------

Melting point/freezing point	:	No data available
------------------------------	---	-------------------

Initial boiling point and boiling range	:	No data available
---	---	-------------------

Flammability (solid, gas)	:	Not applicable
---------------------------	---	----------------

Flammability (liquids)	:	Ignitable (see flash point)
------------------------	---	-----------------------------

Upper explosion limit / Upper flammability limit	:	No data available
--	---	-------------------



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2024
9.0	04.04.2024	10679528-00016	Date of first issue: 25.08.2010

---

Lower explosion limit / Lower flammability limit : No data available

Flash point : > 100 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : substance/mixture is non-soluble (in water)

### Viscosity

Viscosity, dynamic : 1.500 - 3.000 mPa.s (25 °C)  
Method: Brookfield

Viscosity, kinematic : No data available

### Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : No data available

Relative density : No data available

Density : 1,12 g/cm<sup>3</sup> (20 °C)

Relative vapour density : No data available

### Particle characteristics

Particle size : Not applicable

## 9.2 Other information

Explosives : Not explosive

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2024
9.0	04.04.2024	10679528-00016	Date of first issue: 25.08.2010

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

#### 10.4 Conditions to avoid

Conditions to avoid : None known.

#### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

##### Acute toxicity

Not classified based on available information.

##### Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2024
9.0	04.04.2024	10679528-00016	Date of first issue: 25.08.2010

---

### Components:

#### **2-(2-Methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Acute dermal toxicity : LD50 (Mouse): > 2.000 mg/kg

#### **2,6-Di-tert-butyl-p-cresol:**

Acute oral toxicity : LD50 (Rat): > 6.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### **$\alpha,\alpha$ -dimethylbenzyl hydroperoxide:**

Acute oral toxicity : LD50 (Rat, male): 382 mg/kg

Acute inhalation toxicity : Acute toxicity estimate: 3 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Expert judgement  
Remarks: Based on national or regional regulation.

Acute dermal toxicity : LD50 (Rabbit, male): 133,6 mg/kg

#### **2'-Phenylacetohydrazide:**

Acute oral toxicity : LD50 (Mouse): 270 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 300 - 2.000 mg/kg  
Remarks: Based on data from similar materials

### **Skin corrosion/irritation**

Not classified based on available information.

### Components:

#### **2-(2-Methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate:**

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

#### **2,6-Di-tert-butyl-p-cresol:**

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2024
9.0	04.04.2024	10679528-00016	Date of first issue: 25.08.2010

---

### **$\alpha,\alpha$ -dimethylbenzyl hydroperoxide:**

Species	: Rabbit
Result	: Corrosive after 4 hours or less of exposure

### **2'-Phenylacetohydrazide:**

Species	: Rabbit
Result	: Skin irritation
Remarks	: Based on data from similar materials

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Components:**

#### **2-(2-Methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate:**

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation
Remarks	: Based on data from similar materials

#### **2,6-Di-tert-butyl-p-cresol:**

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation
Remarks	: Based on data from similar materials

### **$\alpha,\alpha$ -dimethylbenzyl hydroperoxide:**

Species	: Rabbit
Result	: Irreversible effects on the eye

### **2'-Phenylacetohydrazide:**

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Remarks	: Based on data from similar materials

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Components:**

#### **2,6-Di-tert-butyl-p-cresol:**

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Skin contact

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2024
9.0	04.04.2024	10679528-00016	Date of first issue: 25.08.2010

Species : Humans  
Result : negative

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### 2-(2-Methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

#### 2,6-Di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow  
cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### $\alpha,\alpha$ -dimethylbenzyl hydroperoxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: positive

Test Type: DNA damage and repair, unscheduled DNA syn-  
thesis in mammalian cells (in vitro)  
Result: positive

Test Type: Chromosome aberration test in vitro  
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Skin contact  
Result: negative

Germ cell mutagenicity- As-  
sessment : Weight of evidence does not support classification as a germ  
cell mutagen.

#### 2'-Phenylacetohydrazide:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2024
9.0	04.04.2024	10679528-00016	Date of first issue: 25.08.2010

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: positive

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **2,6-Di-tert-butyl-p-cresol:**

Species	: Rat
Application Route	: Ingestion
Exposure time	: 22 Months
Result	: negative

### **Reproductive toxicity**

Not classified based on available information.

### **Components:**

#### **2-(2-Methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate:**

Effects on fertility	: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
	Species: Rat
	Application Route: Ingestion
	Method: OECD Test Guideline 422
	Result: negative
	Remarks: Based on data from similar materials

Effects on foetal development	: Test Type: Embryo-foetal development
	Species: Rat
	Application Route: Ingestion
	Method: OECD Test Guideline 414
	Result: negative
	Remarks: Based on data from similar materials

#### **2,6-Di-tert-butyl-p-cresol:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study
	Species: Rat
	Application Route: Ingestion
	Result: negative

Effects on foetal development	: Test Type: Embryo-foetal development
	Species: Rat
	Application Route: Ingestion
	Result: negative

#### **$\alpha,\alpha$ -dimethylbenzyl hydroperoxide:**

Effects on foetal development	: Test Type: Embryo-foetal development
	Species: Rat
	Application Route: Ingestion
	Method: OECD Test Guideline 414

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2024
9.0	04.04.2024	10679528-00016	Date of first issue: 25.08.2010

---

Result: negative

### STOT - single exposure

Not classified based on available information.

#### Components:

##### **$\alpha,\alpha$ -dimethylbenzyl hydroperoxide:**

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

Not classified based on available information.

#### Components:

##### **2,6-Di-tert-butyl-p-cresol:**

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

##### **$\alpha,\alpha$ -dimethylbenzyl hydroperoxide:**

Exposure routes : Inhalation  
Target Organs : Lungs  
Assessment : Shown to produce significant health effects in animals at concentrations of >0.2 to 1 mg/l/6h/d.

### Repeated dose toxicity

#### Components:

##### **2-(2-Methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate:**

Species : Rat  
NOAEL : 1.000 mg/kg  
Application Route : Ingestion  
Exposure time : 56 Days  
Method : OECD Test Guideline 422  
Remarks : Based on data from similar materials

Species : Rat  
LOAEL : > 1 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 90 Days  
Method : OECD Test Guideline 413  
Remarks : Based on data from similar materials

##### **2,6-Di-tert-butyl-p-cresol:**

Species : Rat  
NOAEL : 25 mg/kg  
Application Route : Ingestion  
Exposure time : 22 Months

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2024
9.0	04.04.2024	10679528-00016	Date of first issue: 25.08.2010

### Aspiration toxicity

Not classified based on available information.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **2-(2-Methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 19,02 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
aquatic invertebrates Exposure time: 48 h

##### **2,6-Di-tert-butyl-p-cresol:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0,57 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0,48 mg/l  
aquatic invertebrates Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0,24  
plants mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,24  
mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- : 1  
icity)

Toxicity to microorganisms : EC50 : > 10.000 mg/l  
Exposure time: 3 h



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2024
9.0	04.04.2024	10679528-00016	Date of first issue: 25.08.2010

Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 0,053 mg/l  
Exposure time: 30 d  
Species: Oryzias latipes (Japanese medaka)  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,316 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

### **$\alpha,\alpha$ -dimethylbenzyl hydroperoxide:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3,9 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 18,84 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 3,1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### **2'-Phenylacetohydrazide:**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 0,1 - 1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1

## 12.2 Persistence and degradability

### Components:

#### **2-(2-Methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

#### **2,6-Di-tert-butyl-p-cresol:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 4,5 %

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2024
9.0	04.04.2024	10679528-00016	Date of first issue: 25.08.2010

Exposure time: 28 d  
Method: OECD Test Guideline 301C

### **$\alpha,\alpha$ -dimethylbenzyl hydroperoxide:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### **2'-Phenylacetohydrazide:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

## 12.3 Bioaccumulative potential

### **Components:**

#### **2-(2-Methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate:**

Partition coefficient: n-octanol/water : log Pow: < 4  
Method: OECD Test Guideline 117

#### **2,6-Di-tert-butyl-p-cresol:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 330 - 1.800

Partition coefficient: n-octanol/water : log Pow: 5,1

#### **$\alpha,\alpha$ -dimethylbenzyl hydroperoxide:**

Partition coefficient: n-octanol/water : log Pow: 1,6  
Method: OECD Test Guideline 117

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

### **Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2024
9.0	04.04.2024	10679528-00016	Date of first issue: 25.08.2010

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at  
levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

- |                        |  |
|------------------------|--|
| Product                | : Dispose of in accordance with local regulations.<br>According to the European Waste Catalogue, Waste Codes<br>are not product specific, but application specific.<br>Waste codes should be assigned by the user, preferably in<br>discussion with the waste disposal authorities.<br>Do not dispose of waste into sewer.   |
| Contaminated packaging | : Empty containers should be taken to an approved waste han-<br>dling site for recycling or disposal.<br>If not otherwise specified: Dispose of as unused product.   |
| Waste Code             | : The following Waste Codes are only suggestions:<br><br>used product<br>08 04 09, waste adhesives and sealants containing organic<br>solvents or other hazardous substances<br><br>unused product<br>08 04 09, waste adhesives and sealants containing organic<br>solvents or other hazardous substances<br><br>uncleaned packagings<br>15 01 10, packaging containing residues of or contaminated<br>by hazardous substances |

## SECTION 14: Transport information

### 14.1 UN number or ID number

- |      |                                     |
|------|-------------------------------------|
| ADN  | : Not regulated as a dangerous good |
| ADR  | : Not regulated as a dangerous good |
| RID  | : Not regulated as a dangerous good |
| IMDG | : Not regulated as a dangerous good |
| IATA | : Not regulated as a dangerous good |

### 14.2 UN proper shipping name

- |     |                                     |
|-----|-------------------------------------|
| ADN | : Not regulated as a dangerous good |
| ADR | : Not regulated as a dangerous good |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2024
9.0	04.04.2024	10679528-00016	Date of first issue: 25.08.2010

RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

### 14.4 Packing group

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks	:	Not applicable for product as supplied.
---------	---	---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 75, 3
--	---	---

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2024
9.0	04.04.2024	10679528-00016	Date of first issue: 25.08.2010

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

If you intend to use this product as tattoo ink, please contact your vendor.

Cumene (Number on list 28)

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

: Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)

: Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

: Not applicable

REACH - List of substances subject to authorisation (Annex XIV)

: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

MAL-Code-Number : 2-6 (1993)

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 0,35 %, 3,90 g/l

### Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work)

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

H242 : Heating may cause a fire.  
H301 : Toxic if swallowed.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2024
9.0	04.04.2024	10679528-00016	Date of first issue: 25.08.2010

H302	: Harmful if swallowed.
H310	: Fatal in contact with skin.
H311	: Toxic in contact with skin.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H331	: Toxic if inhaled.
H335	: May cause respiratory irritation.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Org. Perox.	: Organic peroxides
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
STOT RE	: Specific target organ toxicity - repeated exposure
STOT SE	: Specific target organ toxicity - single exposure
DK OEL	: Denmark. Occupational Exposure Limits
DK OEL / S	: Exposure period of 15 minutes
DK OEL / GV	: Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## MIDDELFAST SKRUESIKRING, 25 ML.

Version	Revision Date:	SDS Number:	Date of last issue: 07.03.2024
9.0	04.04.2024	10679528-00016	Date of first issue: 25.08.2010

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Aquatic Chronic 3 H412

### Classification procedure:

Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DK / EN