


FUNKI WETMIX




FUNKI WETMIX



Produktfordele

- With a 70 cm long trough, allowing pigs to feed along the entire length
- Can feed up to 60 finisher
- Ideal for wean-to-finisher pigs (7-130 kg)
- Pendulum feed dosing only fresh feed in the trough
- Only fresh feed in the trough
- Soaked feed ensures high feed intake
- Allows pigs to choose between dry feed or soaked feed directly in the trough.
- Stainless steel pipes ensure long-lasting durability.
- Large adjustment handle allows for precise feed settings and provides a clear overview across the entire barn.



Water connection optional Choose either a water valve or AquaDrop.



Water valve

If Wetmix is placed in the center of the pen, use the solid stainless steel post.









Many adjustment options

The feeder can be adjusted for all types of feed, with the option to completely shut off the dispensing.



Feed hopper

Designed to optimize volume usage while allowing manual refilling from a low height. The hopper is waterproof for washing and prepared for automatic refilling from up to three feed lines.



Robust feeding section

specially developed for finishing pigs. Made of stainless steel to withstand constant impact from large pigs.



Flour



Aquadrop adjustment option

Water flows to the bottom of the pipe, so the higher the pipe is set, the more soaked feed is dispensed.



The plate is available in two sizes (Ø174 and Ø164) and can be reversed for use with either pellets or flour.





Water Surface with AquaDrop

With AquaDrop, a water surface is formed in the trough. Feed and water are mixed right from the start, ensuring a high water supply and more thoroughly soaked feed. Additionally, the Wetmix system allows pigs to feed along the entire 70 cm trough, making it possible to feed up to 60 finishing pigs.



