

The logo consists of three vertical red bars of equal height and width, positioned side-by-side. The letters 'A', 'C', and 'O' are printed in white, bold, sans-serif font, each centered within its respective bar.

ACO

| FUNKI |



WATER SUPPLY

Valid from 1 May 2024

Price list 2024 

CONTENTS LIST

WATER SUPPLY 4

8 MM AQUA SPEED 7

10 MM AQUA SPEED 8

15 MM AQUA SPEED 9

DRINKING BOWL - DRIK-O-MAT 10

DRINKING BOWL - NN 11

WATER VALES 12

WATER SUPPLY ACCESSORIES 14

SPRINKLING AND SOAKING 16

TERMS OF SALES AND DELIVERY 18

Water supply



20000055

PVC PIPE W/SOCKET 32 MM, PRICE PER METER, LENGTH 5 METER
ACCESSORIES FOR WATER SYSTEM



23900341

32 MM SOCKET PVC TN16
ACCESSORIES FOR WATER SYSTEM



23900344

32 MM SCREW CAP PVC PN16
ACCESSORIES FOR WATER SYSTEM



23900351

32 MM - 1/2" THREADED SOCKET/INTERNAL THREAD PVC PN16
ACCESSORIES FOR WATER SYSTEM



60176

32 MM-3/4" TRANSITION/INTERNAL THREAD PVC PN16
ACCESSORIES FOR WATER SYSTEM



23900343

32 MM - 1" TRANSITION/INTERNAL THREAD PVC PN16
ACCESSORIES FOR WATER SYSTEM



60188

32 MM-3/4" TRANSITION/EXTERNAL THREAD PVC PN16
ACCESSORIES FOR WATER SYSTEM



60190

32 MM - 1" TRANSITION/EXTERNAL THREAD PVC PN16
ACCESSORIES FOR WATER SYSTEM



23900345

32 MM UNION PVC PN16
ACCESSORIES FOR WATER SYSTEM



23900338

32 MM 90° ANGLE PVC TN16
ACCESSORIES FOR WATER SYSTEM



23900340

32 MM 90° TEE PVC TN16
ACCESSORIES FOR WATER SYSTEM



23900347

32 MM X 1/2" X 32 MM TEE PVC PN16
ACCESSORIES FOR WATER SYSTEM



23900363

32 MM CROSS PVC PN16
ACCESSORIES FOR WATER SYSTEM



23900358

32 MM BALL VALVE WITH ADHESIVE SOCK PVC PN16
ACCESSORIES FOR WATER SYSTEM



60200

HEX NIPPLE PVC PN16 1/2"
ACCESSORIES FOR WATER SYSTEM



23900299

HEX NIPPLE PVC PN16 1"
ACCESSORIES FOR WATER SYSTEM



8500532

WATERPIPE HOLDER FOR 32 MM PVC PIPES



3900265

Ø32 PIPE HANGER ON TOP OF FIBER PLATE



3900084

PIPE FITTINGS KIT FOR Ø32 MM PVC-TUBE AGAINST WALL
ACCESSORIES FOR FEEDING PIPES




3900095

PIPE FITTINGS, KIT Ø32 MM PVCTUBE AGAINST BOARD PROFILE
ACCESSORIES FOR FEEDING PIPES




3900086

PIPE SUPPORT 5 X 10 CM, COMPLETE
ACCESSORIES FOR FEEDING PIPES



3900091

TUBE FITTINGS Ø38 X Ø32 MM, COMPLETE
ACCESSORIES FOR FEEDING PIPES



3900092

TUBE FITTINGS Ø60 X 32 MM, COMPLETE
ACCESSORIES FOR FEEDING PIPES



4900945

WATER FILTER SET
ACCESSORIES FOR WATERSYSTEM



560573

FILTER FOR 93775 150 MY
ACCESSORIES FOR WATERSYSTEM



4900946

WATER GAUGE SET
ACCESSORIES FOR WATERSYSTEM



73000106

MULTICABEL LIYCY 2X0.75 - SCREENED, PRICE PER METER



4900950

MEDICINE MIXER SET
ACCESSORIES FOR WATERSYSTEM



60450

SUSPENSION KIT FOR WIRE
ACCESSORIES FOR FEEDING PIPES



02900021

PIANO-SPRING WIRE 2,0 MM STAINLESS STEEL, PRICE PER METER
PIANO-SPRING WIRE



02900000

PIANO-SPRING WIRE Ø3,0 MM GALVANIZED, PRICE PER METER
PIANO-SPRING WIRE



29100001

THREAD TAPE 1 ROLL = 10 M
ACCESSORIES FOR WATER SYTSTEM



18984

LIQUID SEALING 100 ML TUBE
ACCESSORIES FOR TUBES



23900112

PEVICOL GLUE 0,5 KG
ACCESSORIES FOR FEEDING PIPES



3900085

PVC GLUE 150 G INCL. CLEANING FLUID
ACCESSORIES FOR FEEDING PIPES



76200023

CABLE TIE (STRIPS) 290 X 4,6 MM, BLACK
ACCESSORIES FOR WATER SYSTEM

8 MM Aqua speed



61012

PE-HOSE 8X1 MM - PRICE PER. METER
ACCESSORIES FOR WATER SYSTEM



61139

FEMALE COUPLER 1/4 X 8 MM



61122

AQUASPEED 8 MM - 1/4" TRANSITION/EXTERNAL THREAD
ACCESSORIES FOR WATER SYSTEM



61124

AQUASPEED TRANSITION/EXTERNAL THREAD 8 MM X 1/2"
ACCESSORIES FOR WATER SYSTEM



61140

AQUASPEED TRANSITION WITH INTERNAL THREAD 8 MM X 3/8"
ACCESSORIES FOR WATER SYSTEM



61148

AQUASPEED TRANSITION WITH INTERNAL THREAD 8 MM X 1/2"
ACCESSORIES FOR WATER SYSTEM



61226

AQUASPEED T-PIECE 8 MM
ACCESSORIES FOR WATER SYSTEM



61171

AQUASPEED ANGLE 90° 8 MM
ACCESSORIES FOR WATER SYSTEM



61050

AQUASPEED CONNECTOR 8 MM
ACCESSORIES FOR WATER SYSTEM



61310

AQUASPEED CROSS 8 MM
ACCESSORIES FOR WATER SYSTEM



61230

AQUASPEED Y-PIECE 8 MM
ACCESSORIES FOR WATER SYSTEM



61195

DRILL CLAMP PVC 8MM-32/33,7 MM
ACCESSORIES FOR WATER SYTSTEM



61286

AQUASPEED STOP VALVE 8 MM HOSE
ACCESSORIES FOR WATER SYSTEM

10 MM Aqua speed



23900529

PE-HOSE 10X1,5 MM - PRICE PER METER
ACCESSORIES FOR WATER SYSTEM



23900523

AQUASPEED TRANSITION WITH EXTERNAL THREAD 10 MM X 1/2"
ACCESSORIES FOR WATER SYSTEM



23900524

AQUASPEED TRANSITION 10 MM X 1/4" INSIDE THREAD
ACCESSORIES FOR WATER SYSTEM



23900525

AQUASPEED TRANSITION 10 MM X 1/2" INSIDE THREAD
ACCESSORIES FOR WATER SYSTEM



23900528

AQUASPEED CONNECTOR 10 MM
ACCESSORIES FOR WATER SYSTEM



23900533

AQUASPEED Y-PIECE 10 MM
ACCESSORIES FOR WATER SYSTEM



23900526

AQUASPEED T-PIECE 10 MM
ACCESSORIES FOR WATER SYSTEM



23900538

AQUASPEED REDUCTION SOCKET 10/8 MM
ACCESSORIES FOR WATER SYSTEM



23900534

AQUASPEED TRANSITION 10 MM (HOSE) X 15MM
ACCESSORIES FOR WATER SYSTEM



23961195

DRILL CLAMP PVC 10MM-32/33,7 MM
ACCESSORIES FOR WATER SYTSTEM



23900537

AQUASPEED STOP VALVE 10 MM HOSE
ACCESSORIES FOR WATER SYSTEM

15 MM Aqua speed



23900500

PE-HOSE 15X1,5 MM - PRICE PER METER
HOSE FOR WATER SYTSTEM



23900502

AQUASPEED ANGLE 90° 15 MM
ACCESSORIES FOR WATER SYSTEM



23900503

AQUASPEED TRANSITION WITH EXTERNAL THREAD 15 MM X 1/2"
ACCESSORIES FOR WATER SYSTEM



23900504

AQUASPEED TRANSITION WITH INTERNAL THREAD 15 MM X 1/2"
ACCESSORIES FOR WATER SYSTEM



23900505

AQUASPEED END CAP 15 MM
ACCESSORIES FOR WATER SYSTEM



23900506

AQUASPEED 90° ANGLE SOCKET X TIP 15 MM
ACCESSORIES FOR WATER SYSTEM



23900507

AQUASPEED CONNECTOR 15 MM
ACCESSORIES FOR WATER SYSTEM



23900508

AQUASPEED T-PIECE 15 MM
ACCESSORIES FOR WATER SYSTEM



23900527

AQUASPEED REDUCED T-PIECE 15/10/15 MM
ACCESSORIES FOR WATER SYSTEM



23900509

AQUASPEED STOP VALVE 15 MM HOSE
ACCESSORIES FOR WATER SYSTEM



23900510

AQUASPEED PIPE CUTTER (20-42 MM)
ACCESSORIES FOR WATER SYSTEM



2900460

PIPE HANGER 15 MM WITH SCREW AND DOWEL
ACCESSORIES FOR WATER SYTSTEM

Drinking bowl - DRIK-O-MAT



93570

DRIK-O-MAT® MINI
NB. WATER PRESSURE CANNOT EXCEED 2.5 BAR.



93575

DRIK-O-MAT® STANDARD
NB. WATER PRESSURE CANNOT EXCEED 2.5 BAR.



93600

DRIK-O-MAT® MULTI
NB. WATER PRESSURE CANNOT EXCEED 2.5 BAR.



93500

DRIK-O-MAT® MAXI
NB. WATER PRESSURE CANNOT EXCEED 2.5 BAR.



93250

TILT VALVE DRIK-O-MAT® 1/2" EXTERNAL THREAD

06902111

NIPPLE PIPE 1/2" STAINLESS STEEL 990 MM WITH OUTSIDE THREAD IN BOTH ENDS
PIPE

06902112

NIPPLE PIPE 1/2" STAINLESS STEEL 1190 MM WITH OUTSIDE THREAD IN BOTH ENDS
PIPE

06902113

NIPPLE PIPE 1/2" STAINLESS STEEL 1700 MM WITH OUTSIDE THREAD IN BOTH ENDS
PIPE



93626

MOUNTING KIT SINGLE ON BOARD PROFILE DRIK-O-MAT



93628

MOUNTING KIT DOUBLE ON BOARD PROFILE DRIK-O-MAT®



93632

MOUNTING KIT SINGLE ON GRILLE DRIK-O-MAT®



93670

MOUNTING KIT DOUBLE STAINLESS STEEL GRILLE DRIK-O-MAT



93666

MOUNTING KIT SINGLE 10 MM PLATE DRIK-O-MAT®



93668

MOUNTING KIT DOUBLE 10 MM PLATE DRIK-O-MAT



93638

MOUNTING KIT ON WALL DRIK-O-MAT

Drinking bowl - NN



560120

MINI DRINKING BOWL COMPLETE

NB. WATER PRESSURE CANNOT EXCEED 2.5 BAR.



560130

STANDARD DRINKING BOWL COMPLETE

NB. WATER PRESSURE CANNOT EXCEED 2.5 BAR.



560140

MULTI DRINKING BOWL COMPLETE

NB. WATER PRESSURE CANNOT EXCEED 2.5 BAR.



560160

MAXI DRINKING BOWL COMPLETE

NB. WATER PRESSURE CANNOT EXCEED 2.5 BAR.



560153

TILT VALVE 304SS 1/2" EXTERNAL THREAD FOR DRINKING BOWL
PRESS NIPPLE FOR BOWL

94039

NIPPLE PIPE 1/2" STAINLESS STEEL 830 MM WITH OUTSIDE THREAD IN BOTH ENDS
PIPE

06902111

NIPPLE PIPE 1/2" STAINLESS STEEL 990 MM WITH OUTSIDE THREAD IN BOTH ENDS
PIPE

06902112

NIPPLE PIPE 1/2" STAINLESS STEEL 1190 MM WITH OUTSIDE THREAD IN BOTH ENDS
PIPE

06902113

NIPPLE PIPE 1/2" STAINLESS STEEL 1700 MM WITH OUTSIDE THREAD IN BOTH ENDS
PIPE

Water valves

WATER VALVES

PRESSURE VALVES

Article no.	Description	Adjustable	L/min (at 2,5 bar)	Thread
9900004	Pressure valve 1" pipe brass type 3-9	NO		
12100342	Pressure valve stainless steel type 11	YES	4	1/2" int.
12309005	Pressure valve stainless steel type 5	NO		3/4" ext.
281490	Pressure valve 3in1 stainless steel	YES	4	1/2" ext

TILT VALVES

Article no.	Description	Adjustable	L/min (at 2,5 bar)	Thread
93250	Tilt valve for DRIK-O-MAT	YES	4	1/2" ext.
560153	Tilt valve 304SS for drinking bowl	YES	7	1/2" ext.
281496	Tilt valve for TUBE-O-MAT pipe	YES	4	1/2" ext.
93245	Tilt valve for TUBE-O-MAT	NO	4	3/8" int.
9900047	Tilt valve stainless steel type 17	NO	7	1/2" int.
93280	Tilt valve for sows DRIK-O-MAT	NO	4	1/2" ext.
12100107	Tilt valve stainless steel type 13	YES	5	1/2" int.

BITE VALVES

Article no.	Description	Adjustable	L/min (at 2,5 bar)	Thread
9900053	Bite valve stainless steel weaner	YES	2,5	1/2" ext.
9900054	Bite valve stainless steel finisher	YES	4	1/2" ext.
93345	Bite valve stainless steel weaner	YES	1,5	3/8" ext.
9900058	Bite valve sows brass	YES	6,5	1/2" ext.
93343	Bite valve sows, stainless steel	NO	3	1/2" ext.

The valves are designed for pressure of 2.5 bar.



93345

BITE NIPPLE 3/8" SS EXTERNAL THREAD FOR PIGLETS
ACCESSORIES FOR WATER SYTSTEM



9900053

BITE NIPPLE 1/2" SS EXTERNAL THRREAD FOR WEANERS



9900054

BITE NIPPLE 1/2" STAINLESSSTEEL EXTERNAL THREAD FOR FINISHER
ACCESSORIES FOR WATER system



9900058

BITE NIPPLE MALE THREAD SOWS 1/2 BRASS



93343

BITE NIPPLE MALE THREAD SOWS 1/2" SS



9900004

PRESSURE VALVE FOR 1" PIPE, BRAS TYPE 3-9



12309005

PRESSURE VALVE 1/4" PIPE THREAD, STAINLESS TYPE 5
WATER VALVE



281490

PRESSURE VALVE 3IN1 SS 1/2" EXTERNAL THREAD



12100342

PRESSURE VALVE SS 1/2" TYPE 11, INTERNAL THREAD



12100107

TILT VALVE 1/2" ST TYPE 13
DRINKING VALVE



9900047

TILT VALVE 1/2" SS TYPE 17, INTERNAL THREAD LARGE AMOUNT OF WATER



560153

TILT VALVE 304SS 1/2" EXTERNAL THREAD FOR DRINKING BOWL
PRESS NIPPLE FOR BOWL



93250

TILT VALVE DRIK-O-MAT® 1/2" EXTERNAL THREAD



93280

TILT VALVE SOWS 1/2" EXTERNAL THREAD



281496

TILT VALVE STAINLESS STEEL FOR TOM PIPE FEEDER 1/2" EXTERNAL THREAD



93245

TILT VALVE TUBE-O-MAT® 3/8" INTERNAL THREAD

Water valves - Lund



99001107

BITE NIPPLE TYPE 7 FINISHER AND SOWS 1/2" EXTERNAL THREAD



99001111

PRESS NIPPLE TYPE 11 FARROWING PEN AND BOX 1/2" INTERNAL THREAD



99001113

PRESS NIPPLE TYPE 13 DRINKING BOWL AND FEEDERS 1/2" INTERNAL THREAD



99001116

PRESS NIPPLE TYPE 16 DRINKING BOWL 1/2" EXTERNAL THREAD



99001117

PRESS NIPPLE TYPE 17 FARROWING PEN AND BOX 1/2" INTERNAL THREAD

Water supply Accessories



1900298

DRINKING VALVE ON BOARD PROFILE, EXCL. PIPE/VALVE



1900300

DRINKING VALVE ON PLATE, EX. PIPE/VALVE



1900293

DRINKING VALVE ON WALL, EX. PIPE/VALVE



19900

1" MASTER CLAMP WATER PIPE BRACKET ON WALL
ACCESSORIES FOR WATER SYSTEM



19910

1" MASTER CLAMP WATER PIPE BRACKET WITH SPACER ON WALL
ACCESSORIES FOR WATER SYSTEM



19920
1" MASTER CLAMP 2 WATER PIPE BRACKET ON PIPES
ACCESSORIES FOR WATER SYSTEM



19930
1" MASTER CLAMP SINGLE WATER PIPE BRACKET ON BOARD PROFILE
ACCESSORIES FOR WATER SYSTEM



19940
1" MASTER CLAMP DOUBLE WATER PIPE BRACKET ON BOARD PROFILE
ACCESSORIES FOR WATER SYSTEM



19950
1" MASTER CLAMP WATER PIPE BRACKET FOR POROUS WALL
ACCESSORIES FOR WATER SYSTEM



19960
1" MASTER CLAMP WATER PIPE BRACKET FOR GRILLE
ACCESSORIES FOR WATERSYSTEM



20035
1" MASTER CLAMP WATER PIPE BRACKET
ACCESSORIES FOR WATER SYSTEM



20045
SPACER MASTER CLAMP 1", UNIT
ACCESSORIES FOR WATER SYSTEM



20040
LINER MASTER CLAMP 1/2" PIPE
ACCESSORIES FOR WATER SYSTEM



20041 *
LINER MASTER CLAMP 3/4" PIPE
ACCESSORIES FOR WATER SYSTEM



20051
MASTER CLAMP BACK PLATE
ACCESSORIES FOR WATER SYSTEM



20052
MASTER CLAMP BACK PLATE OFFSET
ACCESSORIES FOR WATER SYSTEM



93164
DRILL CLAMP 1-1/2" STAINLESS STEEL
ACCESSORIES FOR WATER SYTSTEM



93205
DRILL CLAMP 1 - 1/2" MALE THREAD COMPLETE
ACCESSORIES FOR WATER SYSTEM

Sprinkling and Soaking



93880

CONTROL CLOCK - DIGITAL



93881

24 HOUR CLOCK FOR CONCRLOL CLOCK - AUTO.



7103882

TIMER FOR CONTROL CLOCK



0153-463

MOUNTING KIT ON WALL WITH 4 CHIPBOARD SCREW



60405

FILTER/VALVES FOR SPRINKLING



60404

FILTERS/VALVES/SOLENOID VALVES FOR SPRIN



93792

FILTER CARTRIDGE 75 MY FOR FINE FILTER 93790



93820

SOLENOID VALVE 1" 220 V COIL



12400030

SIRAI SOCKET GREY PG9




93800

REDUCING VALVE 1" WITHOUT MANOMETER



12100021

MANOMETER 1/4X63MM 0-10 ATO



9960709

NOZZLE ORANGE SOAKING 360° WATER AT 2 BAR, 120 L PER HOUR SPREADS 8,5 M BY 1,8 M HEIGT



9960712

NOZZLE BROWN SPRINKLING 180° WATER AT 2 BAR, 43 L PER HOUR SPREEDS 6 M BY 1,8 M HEIGT



9960705

NOZZLE YELLOW SOAKING 360° WATER AT 2 BAR, 90 L PER HOUR SPREADS 9 M BY 1,8 M HEIGT



9960440

NOZZLE SET DIRECT TO 32 MM PIPE



9960446

NOZZLE SET T-CONNECT TO 32 MM PIPE



60720

PLUG FOR SOCKET




9960700

CASE FOR NOZZLE FLAT FAN SPRAY WITH 80° BLUE NOZZLE



9960702

CASE FOR NOZZLE FLAT FAN SPRAY WITH CLICK



9960701

BLUE NOZZLE FLAT FAN 80° WATER AT 2 BAR, 0,98 LITER PER MINUTE



9960698

YELLOW NOZZLE FLAT FAN 80° WATER AT 2 BAR, 0,65 LITER PER MINUTE



9960699

RED NOZZLE FLAT FAN 80° WATER AT 2 BAR, 1,31 LITER PER MINUTE



9960715

NON-RETURN VALVE TYPE MEMBRANE



9960600

32 MM PVC CAP WITH 3/8 WW THREAD

ACO FUNKI A/S general terms of sales and delivery

This price list is valid from the 1st of May 2024 and replaces all previously published price lists. All prices are gross prices excluding VAT and are subject to the following general sales and delivery terms.

ACO FUNKI A/S is not liable for misprints or product and price changes.

The sales and delivery terms stated below are valid unless a written agreement of derogation is signed between ACO FUNKI A/S and Buyer.

Drawings and product information

Drawings, wording in quotes, illustrations, technical specifications and other product information etc. are guiding and without any obligation or liability. ACO FUNKI A/S is not liable for any errors, misinterpretations, notices or laws etc.

Project material (drawings, illustrations, quotes etc.) are the property of ACO FUNKI A/S and can not be handed over to other parties without the written consent of ACO FUNKI A/S. If this requirement is not met, ACO FUNKI A/S reserves the right to invoice its internal costs.

Quotes

Quotes are made subject to prior sale and validity of quotes. Quotes specifically state validity. ACO FUNKI A/S reserves the right to withdraw any quote without any prior notice.

Prices

All prices are excluding VAT and based on all known taxes and material costs at the time of quote submission. ACO FUNKI A/S reserves the right to price regulations due to changes in taxes or material costs.

Payment terms

8 days net. Buyer is not justified to set off any claims in payments without prior written consent of ACO FUNKI A/S. Overdue payments are subject to 1.5% interest per commenced month. ACO FUNKI A/S reserves the right to require a payment guarantee at any time.

Handling fee

Orders amounting to less than 536 Euros are subject to a handling fee of 27 Euros.

Delivery terms

EXW Herning - according to Incoterms 2020. (ACO FUNKI A/S has taken out transport insurance on all deliveries, notwithstanding delivery condition.)

Time of delivery

Our time of delivery is according to agreement between Buyer and ACO FUNKI A/S.

Packing materials

The packaging fees are subject to changes in the daily price and can be changed without notice.

Currently, pallets are invoiced at 17 Euros each, and transport frames 17 Euros each. (Return is not possible due to risk of infection.)

Return of goods

Return goods are only accepted according to prior and specific agreement between Buyer and ACO FUNKI A/S. ACO FUNKI A/S only accepts return of unused, non-damaged standard goods, which have never been installed. Return goods must be in original packing. Return goods will be credited at 80% of the items' net price.

If ACO FUNKI A/S is project liable all excess items after project completion are the property of ACO FUNKI A/S.

Other terms

Mounting

Mounting is not included in quotes from ACO FUNKI A/S, unless otherwise clearly stated in the order confirmation. The same applies to all electric/construction and foundation work.

Mounting is only performed at a fixed price if the mounting site is empty, cleaned up and in an already prepared condition. It is the responsibility of the Buyer to place the material closest possible to the mounting site and to ensure an acceptable accessibility of the mounting site, in accordance with the assessment of Service and Mounting department.

If mounting coincides with other on site work performed by third party, mounting is carried out at an hourly payment rate.

ACO FUNKI A/S reserves the right to change the agreed price on projects with fixed mounting price, if the Service and mounting department does not find the mounting site properly prepared. ACO FUNKI A/S also reserves the right to invoice additional time spent on any in vain driving, wages, site cleaning, removal of goods etc.

Self-supporting cast iron, concrete slats and polymer troughs are never included in the mounting prices, except when otherwise specifically stated in the order confirmation.

All water installations end by the end of the row or on the inside of the section, except when otherwise specifically stated in the order confirmation.

When Buyer self is responsible for mounting, all adjustments to the equipment are at own risk (pipes, board profiles etc.) regardless of any acquired supervision from ACO FUNKI A/S.

Self-supporting cast iron

Due to production method fluctuations in dimensions and sizes may occur. As a result, the product may be uneven.

None of these fluctuations are of any significant importance to the product functionality. Cast iron slats are only intended for pigs and should not be exposed to any other strain.

General information

Colour difference may generally occur in the products, especially products produced of miscellaneous types of PVC/ plastic/fiber material.

The buyer holds the responsibility of storing the purchased goods under a roof so that the goods are not exposed to frost, water and direct sunlight.

Any damage as a result of incorrect storage as well as damage during transport at the place of delivery is the responsibility of the buyer.

All types of water valves are designed for a working pressure of 2.5-3.0 bar. It is the buyer's responsibility to measure and possibly regulate the water pressure.

ACO FUNKI A/S does not accept complaints on water valves used at a working pressure above 3 bar.

When extra deliveries of goods or services are requested due to alleged lacks, ACO FUNKI A/S reserves the right to invoice the goods' value as well as any other additional costs, in case a previous delivery has been made or the alleged lacks are groundless.

ACO FUNKI A/S disclaims complaint liability if any acid has been added to water/feed without prior accept. ACO FUNKI A/S also disclaims liability if the concrete indoor climate, does not meet with the standards of good indoor climate.

The description of goods should only be considered as guiding and is subject to errors. Therefore the component list is valid for the quote. If the component list is not attached to the quote, it is imposed on the Buyer to obtain it.

For all other conditions regarding deliveries excluding installation, NL92 applies, except for the last sentence of point No. 11 as well as points Nos. 13 and 14.



We give you
and your pigs
a better life



www.webshop-acofunki.aco.com

ACO FUNKI A/S | www.acofunki.com | +45 97 11 96 00 | acofunki@acofunki.dk